

**V6** <sup>6000lm</sup>

**LEDLIGHT**  
*by Multiblitz*

THE COMPACT HYBRID  
CONTINUOUS LIGHTING SOLUTION  
FOR PHOTO AND VIDEO

7

LEDLIGHT  
V6 <sup>6000lm</sup> V6 <sup>6000lm</sup> V6 <sup>6000lm</sup> V6 <sup>6000lm</sup>  
6000lm



# V6


6000lm

# LEDLIGHT

by Multiblitz

**NEW!**  
FOR PHOTOKINA  
**2014**

- + CONTEMPORARY, INNOVATIVE TECHNOLOGY. POWERFUL AND LIGHTWEIGHT.
- + FLATTERING COLOR RENDITION. SLIGHTLY WARMER COLOR TEMPERATURE BETWEEN WARM AND NEUTRAL WHITE - ESPECIALLY TAILORED TO SKIN TONES.
- + NATURAL, NEUTRAL, NOT TOO COLD DAYLIGHT.
- + EQUIPPED WITH ONE OF THE MOST ADVANCED AND EFFICIENT LED MODULE AVAILABLE.
- + LUMINOUS FLUX OF 6000 LUMENS (LM), EQUIVALENT APROX. 650 W HALOGEN LIGHT.
- + EXTREMELY HIGH LUMINOUS EFFICACY (LM/W); MORE "BRIGHTNESS" PER WATT COMPARED TO HALOGEN LIGHT SOURCES.
- + OUTPUT CONTROL WITH 2.5 STOPS IN ½ STEPS WITH MULTI-VOLTAGE POWER PACK.
- + EXTREMELY DURABLE LED MODULE WITH A LIFETIME OF OVER 50,000 HOURS.
- + NO HEAT GENERATION AND HEAT ACCUMULATION IN THE LED MODULE AND LIGHT MODIFIERS. SILENT ACTIVE FAN COOLING.
- + GOING GREEN? LOW POWER CONSUMPTION, NO HARMFUL UV RADIATION, LED MODULE CONTAINS NO MERCURY.
- + LIMITLESS LIGHT SHAPING POSSIBILITIES: COMPATIBLE WITH ALL MULTIBLITZ P-TYPE BAYONET LIGHT MODIFIERS.
- + BUILT-IN MULTI-VOLTAGE TECHNOLOGY (MVT): 90-260V FOR OUTDOOR PHOTO AND VIDEO SHOOTS WITH THE MULTIBLITZ PROPAC BATTERY PACK. WORLDWIDE AUTOMATIC VOLTAGE RECOGNITION IN 110V AND 230V POWER GRIDS.



*"The Multiblitz V6 offers infinite new capabilities for various lighting applications. Final imaging results can be seen straight-away. The V6 LED light is quickly controllable for novices and an innovative tool for seasoned professionals. It offers a multitude of possibilities for wedding and people photography, when the V6 is used for photography and videography to capture every moment. When shooting outdoors, I also like it to brighten up daylight."*


**- LED-PIONEER FIRAT BAGDU**

**PROPAC** COMPATIBLE


IMAGE BY: FIRAT BAGDU // WWW.BAGDU.DE

- + IDEAL FOR BEAUTY, PORTRAIT, PEOPLE AND TABLE-TOP PHOTOGRAPHY.
- + HOMOGENEOUS LIGHT WITH NATURAL CHARACTER, SOFT SHADOWS AND UNIFORM DISTRIBUTION.
- + A EASY TO USE LIGHT FOR PHOTO NEWBIES. INTUITIVE TO OPERATE, NO UNEXPECTED DIFFERENCES BETWEEN THE SUBJECT ILLUMINATION AND IMAGE RESULT.


- + NEW CREATIVE POSSIBILITIES FOR EXPERIENCED PROFESSIONALS. IDEAL FOR GOAL ORIENTED WORKFLOWS WITH QUICK RESULTS.
- + COMPATIBLE WITH ALL CAMERA TYPES, FROM SMARTPHONE TO LARGE FORMAT.
- + NO SYNCHRONIZATION, NO CABLES, EASY COLOR MATCHING.




>> SET UP



>> SET UP



>> SET UP





>> SET UP

- + A TRUE MOVIE LIGHT FOR VIDEOGRAPHERS: PROVIDING A SLIGHTLY WARMER COLOR TEMPERATURE, WITHOUT THE IRRITATING POINT PATTERN EFFECT OF LED PANELS.
- + QUICK AND EASY ADAPTION TO THE AMBIENT LIGHT.
- + EASY HANDLING: CAN BE USED ON A TRIPOD, MONOPOD, OR JUST HELD IN YOUR HAND.
- + RELIABLE AND SILENT BY A COMBINATION OF AW-6063 ALUMINUM/SILICON HEAT SINK AND ACTIVE SILENCER FAN.
- + A WIDE RANGE OF MULTIBLITZ P-TYPE LIGHT MODIFIERS AVAILABLE FOR VIDEO: SOFTBOXES, OCTABOXES, GRIDS, BARN DOORS, GELS AND MUCH MORE.

## PHOTOKINA SPOT 2014

>> GO TO [WWW.MULTIBLITZ.COM](http://WWW.MULTIBLITZ.COM) TO SEE THE VIDEO !



# V6<sup>6000lm</sup>

# LEDLIGHT

by Multiblitz



## THE COMPACT HYBRID CONTINUOUS LIGHTING SOLUTION FOR PHOTO AND VIDEO



>> V6 LEDLIGHT  
CONTEMPORARY & INNOVATIVE.  
COMPACT & EFFICIENT.



>> V6 MULTI-VOLTAGE  
POWER PACK



### V6 LEDLIGHT

PROPAC<sup>COMPATIBLE</sup>



#### SPECIFICATIONS:

- + COLOR TEMPERATURE: 4000 K, STABLE OVER ENTIRE CONTROL RANGE
- + LUMINOUS FLUX: 6000 LM, (EQUIVALENT 650 W HALOGEN)
- + ILLUMINANCE: 1782 LUX @2 M
- + LIGHT SPREAD @2 M/@60° BEAM ANGLE WITH STANDARD REFLECTOR (FILNOS): 2,31 M
- + COVERAGE AREA @2 M/@60° BEAM ANGLE WITH STANDARD REFLECTOR (FILNOS): 4,19 M<sup>2</sup>
- + EFFICACY: 85 LM/W
- + CRI > 92 (+/-2%)
- + CHROMATICITY TOLERANCE (CCX, CCY): +/- 0,0005 %
- + LIFETIME (LIGHT DEGRADATION, L70): 50,000 H
- + MULTI-VOLTAGE: 90-260V
- + UL-, ROHS- & CE- NORMED
- + BAYONET-MOUNT: P-TYPE
- + DIMENSIONS, MM / IN:  
261 X 110 X 162 / 10.2 X 4.3 X 6.4
- + WEIGHT V6, KG / LBS: 1.4 / 3.0
- + WEIGHT MV POWER PACK, KG / LBS: 0.6 / 1.3W

#### OBTAINABLE PERFORMANCES WITH PROPAC BATTERY PACKS, V6 @ FULL POWER:

+ 1 X V6	W/ PROPAC 1:	70 MIN.
+ 2 X V6	W/ PROPAC 1:	35 MIN.
+ 1 X V6	W/ PROPAC 2:	150 MIN.
+ 2 X V6	W/ PROPAC 2:	75 MIN.



PROPAC 1



PROPAC 2

 VISIT US ONLINE:  
WWW.MULTIBLITZ.DE | WWW.MULTIBLITZ.COM | WWW.MULTIBLITZUSA.COM

*6000lm*

LEDLIGHT

*6000lm*

*6000lm*

*6000lm*



**Multiblitz**  
+ MADE IN GERMANY

MULTIBLITZ MANNESMANN GMBH | FERDINAND - PORSCHE - STRASSE 19 | D-51149 KÖLN | GERMANY |  
FON: +49 (0) 2203 - 93 96 10 | FAX: +49 (0) 2203 - 93 96 49 | E-MAIL: [INFO@MULTIBLITZ.DE](mailto:INFO@MULTIBLITZ.DE) | INTERNET: [WWW.MULTIBLITZ.COM](http://WWW.MULTIBLITZ.COM)  
[WWW.MULTIBLITZUSA.COM](http://WWW.MULTIBLITZUSA.COM)

ENGL 09.14

*6000lm*